North America's Leader in Hazardous Material Information Management

1905 Aston Avenue, Carlsbad, CA 92008 Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005

To: MSDS Requester

From: 3E Company

Subject: The MSDS you have requested

[] MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communicatin Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

[X] MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

[] MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

[] MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Universal Flooring Ltd.

Product Name: Universal Marathon Cleaner (DISCONTINUED)

Invoice Number: 22407

MATERIAL SAFETY DATA SHERT

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : UNIVERSAL MARATHON CLEANER

IDENTIFICATION NUMBER: 4P0250 DATE PRINTED: 02/28/97

PRODUCT USE/CLASS : Cleaner

Basic Coatings, Inc. 2124 Valley Drive P.O. Box 677 Des Moines, IA 50303

EMERGENCY TELEPHONE: 800/424-9300

24 Hours

PREPARER: L Morsch, PHONE: 800/247-5471, PREPARE DATE: 12/10/96

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS						
ITEM		- CHEMICAL	NAME	CAS NU	MBER	WT/WT % IN RANGE
01 02	2-PROPANOL GLYCOL ETHER	2-PROPANOL 67-63-0 GLYCOL ETHER PM 107-98-2			1 - 5 % 1 - 5 %	
ITEM	ACGIH TLV-TWA		EXPOSURE LIMIT OSH PEL-TWA		COMPANY TLV-TWA	SKIN
01 02 (See	400 ppm 100 ppm Section 16 fc	500 ppm 150 ppm	100 ppm	N.E. 150 ppm	N.E. NE	NO YES
(Bee	Section 16 fc		- HAZARDS IDE	NTIFICATION		

*** EMERGENCY OVERVIEW ***: Causes eye irritation.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Irritating to the eyes. May aggravate pre-existing eye disorders.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: Causes drying of the skin. May aggravate pre-existing skin disorders.

EFFECTS OF OVEREXPOSURE - INHALATION: Excessive inhalation of vapor may cause headache, dizziness and nausea. May aggravate pre-existing lung disorders.

(Continued on Page 2)

Product: 4P0250 Preparation Date: 12/10/96 Page 3

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

RESPIRATORY PROTECTION: Not normally needed.

SKIN PROTECTION: Rubber gloves.

EYE PROTECTION: Wear splash goggles.

OTHER PROTECTIVE EQUIPMENT: Eye bath.

HYGIENIC PRACTICES: Wash hands before eating or smoking. Follow all MSDS/label precautions even after container is emptied because container

may retain product residues.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE : 179 - 257 F VAPOR DENSITY : Is heavier than air

ODOR : Mild ODOR THRESHOLD : NA

APPEARANCE : Blue, clear EVAPORATION RATE: Is faster than Butyl SOLUBILITY IN H2O : Soluble Acetate

SOLUBILITY IN H20 : Soluble Acetate
FREEZE POINT : NA SPECIFIC GRAVITY: 0.9950

FREEZE POINT : NA SPECIFIC GRAVITY: 0.9950

VAPOR PRESSURE : NA PH @ 0.0 % : NA

PHYSICAL STATE : Liquid VISCOSITY : NA

COEFFICIENT OF WATER/OIL DISTRIBUTION: NA

(See Section 16 for abbreviation legend)

SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: None.

INCOMPATIBILITY: None.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

SECTION 11 - TOXICOLOGICAL PROPERTIES

PRODUCT LD50: No Data PRODUCT LC50: No Data

SECTION 15 - REGULATORY INFORMATION

CARA	SECTION	713.

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

----- CHEMICAL NAME -----CAS NUMBER No SARA Section 313 components exist in this product. MAX WT/WT %

TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

----- CHEMICAL NAME -----

CAS NUMBER

No information is available.

U.S. STATE REGULATIONS: AS FOLLOWS -

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product:

Water

----- CHEMICAL NAME -----

CAS NUMBER

7732-18-5

Polyethylene glycol octylphenol ether

9002-93-1

PENNSYLVANIA RIGHT-TO-KNOW:

The following non-hazardous ingredients are present in the product at greater than 3%:

Water

----- CHEMICAL NAME

CAS NUMBER

7732-18-5

CALIFORNIA PROPOSITION 65:

WARNING: The chemical(s) noted below and contained in this product, are known to the state of California to cause cancer, birth defects or other reproductive harm:

----- CHEMICAL NAME -----1,4-Dioxane

CAS NUMBER

123-91-1

75-21-8

Oxitane

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

SECTION 16 - OTHER INFORMATION

HMIS RATINGS - HEALTH: 1 FLAMMABILITY: 1

REACTIVITY: 0

(Continued on Page 6)